

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Nursing Home Name	Street
-----------------	-------------------	--------

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

City	State	ZIP Code	Phone Number
------	-------	----------	--------------

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased

Footnote-1

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who self-report moderate to severe pain

Footnote-2

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay high-risk residents with pressure
ulcers

Footnote-3

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who lose too much
weight

Footnote-4

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay low-risk residents who lose control of their bowels or bladder

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-5

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who have had a catheter inserted and left in their bladder

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-6

Percent of long-stay residents with a urinary tract infection

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-7

Percent of long-stay residents who have depressive symptoms

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-8

Percent of long-stay residents who were physically
restrained

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-9

Percent of long-stay residents experiencing one or more falls with major injury

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents assessed and given, appropriately, the seasonal influenza vaccine

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents assessed and given, appropriately, the pneumococcal vaccine

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-12

Percent of short-stay residents who self-report moderate to severe pain

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-13

Percent of short-stay residents with Pressure ulcers that are new or worsened

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the seasonal influenza vaccine

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of short-stay residents assessed and given, appropriately, the pneumococcal vaccine

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-16

Percent of short-stay residents who newly received an antipsychotic medication

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-17

Percent of long-stay residents who received an antipsychotic medication

nursing home compare

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18